

Message

From: Strauss, Alexis [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=848EB244E96A4F04A105967EA264320B-ASTRAUSS]
Sent: 10/3/2018 6:09:42 PM
To: Dan Johnson [DanJohnson@florencecopper.com]
Subject: RE: FCI Memorandum on Aquifer Exemptions Granted to Class II and Class III UIC Permits

Dan,
Thanks for the useful update. I've shared it with our Water and Regional Counsel colleagues.
Kind regards,
Alexis

Alexis Strauss
E.P.A. Region 9
75 Hawthorne Street
San Francisco, CA 94105
415-972-3572

From: Dan Johnson [mailto:DanJohnson@florencecopper.com]
Sent: Wednesday, October 3, 2018 10:36 AM
To: Strauss, Alexis <Strauss.Alexis@epa.gov>
Subject: RE: FCI Memorandum on Aquifer Exemptions Granted to Class II and Class III UIC Permits

Alexis,

I stand corrected, I just found out the meeting is scheduled for tomorrow.

Dan Johnson VP | General Manager



Florence Copper Inc.
1575 W. Hunt Highway Florence AZ USA 85132
C 520-233-1930 T 520-374-3984 F 520-374-3999
E danjohnson@florencecopper.com Web florencecopper.com

From: Dan Johnson
Sent: October-03-18 10:31 AM
To: Strauss.alexis@Epa.gov
Subject: FCI Memorandum on Aquifer Exemptions Granted to Class II and Class III UIC Permits

Good Morning Alexis,

Again, it was great seeing in person last month in Prescott. I've been informed that FCI's outside legal counsel will be having conversations with USEPA Headquarters sometime today about policy involving granted Aquifer Exemptions so I wanted to make sure you, Alexa Engelman and Mike Stoker are kept in the loop and have this attached memorandum.

As you can see this memorandum was sent electronically to the three individuals identified in the memo following a meeting with Byron Brown and David Fotouhi at EPA's D.C. offices back in July. Again as discussed in Prescott, these discussions are intended to gain David Fotouchi support to issue a memo from OGWDW or ORC to the Regions that substantially adopts the legal position in the memorandum. FCI is confident that the memo's analysis is consistent with applicable rules of statutory and regulatory construction and is hopeful USEPA will support our position.

I would be happy to discuss this issue further with you, Alexa or Mike if there are questions.

Best Regards,

Dan Johnson VP | General Manager



Florence Copper Inc.
1575 W. Hunt Highway Florence AZ USA 85132
C 520-233-1930 T 520-374-3984 F 520-374-3999
E danjohnson@florencecopper.com Web florencecopper.com

"Notice Regarding Transmission

This message is intended only for the person(s) to whom it is addressed and may contain information that is privileged and confidential. If you are not the intended recipient, you are hereby notified that any dissemination or copying of this communication is prohibited. Please notify us of the error in communication by telephone (778-373-4533) or by return e-mail and destroy all copies of this communication. Please note that any views or opinions presented in this email are solely those of the author and do not necessarily represent those of Taseko Mines Limited or any affiliated or associated company. The recipient should check this email and any attachments for the presence of viruses. Neither Taseko Mines Limited nor any affiliated or associated company accepts any liability for any damage caused by any virus transmitted by this email. Thank you."